



International  
mains sockets  
on demand:  
**CH, F, IT/Schuko**

## CablePort desk²

Technology meets design

Today conference and office furniture must feature mains, network and multimedia interfaces for the use of digital media.

The new CablePort desk² combines technology, functionality and a top design.

The plain style and the striking radius of the curving metal parts contribute to the unique design.

The flexible clamp mechanism of the CablePort desk² guarantees its universal use in the modern office world.

Mains and data cables can thus be fixed to the desktop as required, without causing any damages.

A cable chain guides the cables from the desk to the floor box or wall channel.

- Individual configuration possible with Konnect flex 45 click multimedia adapter plates (7464 000 xxx)
- Integration of media control, USB charger etc. possible
- Available in two different lengths - max. 4 or 6 mains sockets
- Anodized aluminium or powder-coated steel
- On demand with international mains sockets
- Fit for the future, new components can be integrated
- Concealed clamps for easy anti-slip mounting on desktops 10 - 60 mm thick
- Mains cable 1 m, GST 18 plug



For desktops 10 - 60 mm

Quality  
made  
in  
Germany  
by Kindermann

### CablePort desk², 6-fold

- Anodized aluminium
- Rear side powder-coated, white, RAL 9003



- Powder-coated, slate gray, RAL 7015
- Rear side powder-coated, white, RAL 9003



### CablePort desk², 4-fold



## CablePort desk<sup>2</sup>

Pre-configured and ready for use

### CablePort desk<sup>2</sup>

6-fold for Quickselect 3.0



#### CablePort desk<sup>2</sup> / 6-fold for Quickselect 3.0

|                  |                                                                                                                                                                                                                                                   |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Width            | 331 mm                                                                                                                                                                                                                                            |
| Dimensions       | 99 x 124 mm (H x D)                                                                                                                                                                                                                               |
| Pre-mounted with | 2 x mains<br>1 x VGA (HD15)<br>1 x audio jack (3.5 mm stereo)<br>1 x HDMI<br>1 x USB type A<br>1 x cat-6<br>all with cable+plug, 1 m, socket / plug<br>3 x stainless steel button with blue LED light ring, inkl. 3 m control line with open ends |

Powder-coated, slate gray (RAL 7015)

Ref. No. 7430 000 008

Aluminium, anodized

Ref. No. 7430 000 018

### CablePort desk<sup>2</sup>

4-fold



#### CablePort desk<sup>2</sup> / 4-fold

|                  |                                                                                                                                   |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| Width            | 241 mm                                                                                                                            |
| Dimensions       | 99 x 124 mm (H x D)                                                                                                               |
| Pre-mounted with | 2 x mains<br>1 x VGA<br>1 x HDMI<br>1 x audio jack (3.5 mm stereo)<br>1 x cat-6 (RJ45)<br>all with cable+plug, 1 m, socket / plug |

Powder-coated, slate gray (RAL 7015)

Ref. No. 7430 000 004

Aluminium, anodized

Ref. No. 7430 000 014

### CablePort desk<sup>2</sup>

6-fold



#### CablePort desk<sup>2</sup> / 6-fold

|                  |                                                                                                                                                            |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Width            | 331 mm                                                                                                                                                     |
| Dimensions       | 99 x 124 mm (H x D)                                                                                                                                        |
| Pre-mounted with | 3 x mains<br>1 x VGA<br>1 x HDMI<br>1 x audio jack (3.5 mm stereo)<br>1 x USB, 2.0 (type A)<br>2 x cat-6 (RJ45)<br>all with cable+plug, 1 m, socket / plug |

Powder-coated, slate gray (RAL 7015)

Ref. No. 7430 000 006

Aluminium, anodized

Ref. No. 7430 000 016

## CablePort desk<sup>2</sup>

For individual configuration

### CablePort desk<sup>2</sup>

4-fold



#### CablePort desk<sup>2</sup> / 4-fold

|                  |                           |                        |                        |                        |           |
|------------------|---------------------------|------------------------|------------------------|------------------------|-----------|
| Width            | 241 mm                    |                        |                        |                        |           |
| Dimensions       | 99 x 124 mm (HxD)         |                        |                        |                        |           |
| Pre-mounted with | Empty casing<br>4 x empty | 1 x mains<br>3 x empty | 2 x mains<br>2 x empty | 3 x mains<br>1 x empty | 4 x mains |

#### Powder-coated, slate grey (RAL 7015)

|          |              |              |              |              |              |
|----------|--------------|--------------|--------------|--------------|--------------|
| Ref. No. | 7430 000 070 | 7430 000 071 | 7430 000 072 | 7430 000 073 | 7430 000 074 |
|----------|--------------|--------------|--------------|--------------|--------------|

#### Aluminium, anodized

|          |              |              |              |              |              |
|----------|--------------|--------------|--------------|--------------|--------------|
| Ref. No. | 7430 000 050 | 7430 000 051 | 7430 000 052 | 7430 000 053 | 7430 000 054 |
|----------|--------------|--------------|--------------|--------------|--------------|

### CablePort desk<sup>2</sup>

6-fold



#### CablePort desk<sup>2</sup> / 6-fold

|                  |                        |                        |                        |                        |                        |           |
|------------------|------------------------|------------------------|------------------------|------------------------|------------------------|-----------|
| Width            | 331 mm                 |                        |                        |                        |                        |           |
| Dimensions       | 99 x 124 mm (HxD)      |                        |                        |                        |                        |           |
| Pre-mounted with | 1 x mains<br>5 x empty | 2 x mains<br>4 x empty | 3 x mains<br>3 x empty | 4 x mains<br>2 x empty | 5 x mains<br>1 x empty | 6 x mains |

#### Powder-coated, slate grey (RAL 7015)

|          |              |              |              |              |              |              |
|----------|--------------|--------------|--------------|--------------|--------------|--------------|
| Ref. No. | 7430 000 081 | 7430 000 082 | 7430 000 083 | 7430 000 084 | 7430 000 085 | 7430 000 086 |
|----------|--------------|--------------|--------------|--------------|--------------|--------------|

#### Aluminium, anodized

|          |              |              |              |              |              |              |
|----------|--------------|--------------|--------------|--------------|--------------|--------------|
| Ref. No. | 7430 000 061 | 7430 000 062 | 7430 000 063 | 7430 000 064 | 7430 000 065 | 7430 000 066 |
|----------|--------------|--------------|--------------|--------------|--------------|--------------|



### Accessories for CablePort desk<sup>2</sup>

| Specification                                                                                                                                    | Ref. No.     |
|--------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| <b>Deposit tray</b> for signal management components, e. g. Quickselect 3.0, easy mounting on the table clamp of the CablePort desk <sup>2</sup> | 7446 000 021 |
| Colour: white, RAL 9003                                                                                                                          |              |
| Recommended maximum size of unit:<br>223 x 124 x 35 mm (WxDxH)                                                                                   |              |
| Outer dimensions:<br>331 x 239 x 40 mm (WxDxH)                                                                                                   |              |

## CablePort desk<sup>2</sup>

With USB charger - for individual configuration

### CablePort desk<sup>2</sup>

4-fold



#### CablePort desk<sup>2</sup> / 4-fold

|                                      |                                                                             |                                           |
|--------------------------------------|-----------------------------------------------------------------------------|-------------------------------------------|
| Width                                | 241 mm                                                                      |                                           |
| Dimensions                           | 99 x 124 mm (HxD)                                                           |                                           |
| Version                              | USB charger with 2 x USB type A and integrated power supply (5 V / 1500 mA) |                                           |
| Pre-mounted with                     | 1 x mains<br>1 x USB charger<br>2 x empty                                   | 2 x mains<br>1 x USB charger<br>1 x empty |
| Powder-coated, slate grey (RAL 7015) |                                                                             |                                           |
| Ref. No.                             | 7430 000 171                                                                | 7430 000 172                              |
| Aluminium, anodized                  |                                                                             |                                           |
| Ref. No.                             | 7430 000 151                                                                | 7430 000 152                              |

### CablePort desk<sup>2</sup>

6-fold



#### CablePort desk<sup>2</sup> / 6-fold

|                                      |                                                                             |                                           |                                           |
|--------------------------------------|-----------------------------------------------------------------------------|-------------------------------------------|-------------------------------------------|
| Width                                | 331 mm                                                                      |                                           |                                           |
| Dimensions                           | 99 x 124 mm (HxD)                                                           |                                           |                                           |
| Version                              | USB charger with 2 x USB type A and integrated power supply (5 V / 1500 mA) |                                           |                                           |
| Pre-mounted with                     | 1 x mains<br>1 x USB charger<br>4 x empty                                   | 2 x mains<br>1 x USB charger<br>3 x empty | 3 x mains<br>1 x USB charger<br>2 x empty |
| Powder-coated, slate grey (RAL 7015) |                                                                             |                                           |                                           |
| Ref. No.                             | 7430 000 181                                                                | 7430 000 182                              | 7430 000 183                              |
| Aluminium, anodized                  |                                                                             |                                           |                                           |
| Ref. No.                             | 7430 000 161                                                                | 7430 000 162                              | 7430 000 163                              |

## Compatible accessories

**Cable snake Pro - A very stable floor channel for areas with a large number of people.**

- Rounded surface
- Cables can be installed without tools (zip fastener principle)
- Tread protection up to 80 kg extended, 120 kg compressed
- Length extended 100 cm, compressed 70 cm (34 chain elements)
- 90 x 24 mm (BxH)

| Illustration                                                                        | Model           | Specification    | Ref. No.     |
|-------------------------------------------------------------------------------------|-----------------|------------------|--------------|
|  | Cable snake Pro | black, RAL 9005  | 7443 000 312 |
|  |                 | silver, RAL 9006 | 7443 000 313 |

For further accessories, see page 79.



CablePort desk² 80

## CablePort desk² 80

Expansion of the product family

- For mounting on cable feedthroughs with 80 mm diameter
- Easy and comfortable to install
- No additional cut in desktop needed
- For desktops 8 - 50 mm thick

Quality  
made  
in  
Germany  
by Kindermann



## CablePort desk² 80 turn

Expansion of the product family

- Optional accessory for CablePort² 80
- Rotatable up to +/- 150°, 30° steps, height 25 mm, -8° tilted
- Diameter: 100 mm
- For desktops 8 - 50 mm thick



CablePort desk² 80 turn

7430 000 200



Connector for cable snake Classic/Pro

7430 000 201



CablePort desk² 80  
with turn option

## CablePort desk<sup>2</sup> 80

Pre-configured and ready for use

### CablePort desk<sup>2</sup> 80

4-fold, pre-configured



#### CablePort desk<sup>2</sup> 80 / 4-fold, pre-configured

|                  |                                                                                                   |
|------------------|---------------------------------------------------------------------------------------------------|
| Width            | 241 mm                                                                                            |
| Dimensions       | 100 x 126 mm (H x D)                                                                              |
| Pre-mounted with | 2 x mains<br>1 x HDMI<br>1 x VGA (HD15) 1 x Audio jack<br>1 x Cat-6<br>1 x power cable GST18, 1 m |

Powder-coated, slate grey (RAL 7015)

Ref. No. 7430 000 204

Aluminium, anodized

Ref. No. 7430 000 214

### CablePort desk<sup>2</sup> 80

4-fold, individual configuration, mains



#### CablePort desk<sup>2</sup> 80 / 4-fold, mains

|                  |                                                      |                                                      |                                                      |
|------------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|
| Width            | 241 mm                                               |                                                      |                                                      |
| Dimensions       | 100 x 126 mm (H x D)                                 |                                                      |                                                      |
| Pre-mounted with | 1 x mains<br>3 x empty<br>1 x power cable GST18, 1 m | 2 x mains<br>2 x empty<br>1 x power cable GST18, 1 m | 3 x mains<br>1 x empty<br>1 x power cable GST18, 1 m |

Powder-coated, slate grey (RAL 7015)

Ref. No. 7430 000 251 7430 000 252 7430 000 253

Aluminium, anodized

Ref. No. 7430 000 271 7430 000 272 7430 000 273

### CablePort desk<sup>2</sup> 80

4-fold, individual configuration, USB, mains



#### CablePort desk<sup>2</sup> 80 / 4-fold, USB

|                  |                                                                                  |
|------------------|----------------------------------------------------------------------------------|
| Width            | 241 mm                                                                           |
| Dimensions       | 100 x 126 mm (H x D)                                                             |
| Pre-mounted with | 2x mains,<br>1 x USB charger 2 USB-A (f) 5V/1,5 A,<br>1 x power cable GST18, 1 m |

Powder-coated, slate gray (RAL 7015)

Ref. No. 7430 000 352

Aluminium, anodized

Ref. No. 7430 000 372